

Your Auto Electrical Supplier
Issue: October 2015

# OCTOBER SPECIALS



Dasco® is proudly Australian owned & operated. Supporting local business.





DVEE

DVEE



30W 2,700LM DOUBLE ROW LED BAR

QVWL6D5F - FLOOD OVWL6D5S - SPOT

The all NEW D5 Series is QVEE's latest edition to their ever expanding range. The D5-Series is a cost effective 6.34" double row LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 2,700 lumen and 9-32v. For more details check out www.qvee.com.au

DVFF

60W 5,400LM DOUBLE ROW LED BAR QVWL12D5F - FLOOD

QVWL12D5S - SPOT

OCTOBER 2015 SPECIALS

The all NEW D5 Series is QVEE's latest

edition to their ever expanding range. The D5-Series is a cost effective 10.47" double row LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 5,400 lumen and 9-32v.

For more details check out www.qvee.com.au \$208ea

20W 1,800LM LED BAR QVWL2X10S - SPOT QVWL2X10F - FLOOD

**60W 5,400LM LED BAR** 

QVWL6X10S - SPOT

OVWL6X10F - FLOOD

IP69k RATED



20W LED, 5.57"worklight. 1,800 lumens, IP69, aluminium heatsink housing & a 50,000 hour life span on the LED's. 2 x 10W CREE LED's.

\$99.

DVEE

40W 3,600LM LED BAR

QVWL4X10S - SPOT OVWL4X10F - FLOOD



DVEF

IP69k RATED

40W LED, 8.72" worklight. 3,600 lumens, IP69, aluminium heatsink housing & a 50,000 hour life span on the LED's. 4 x 10W CREE LED's.

\$190ea

120W 10.800LM DOUBLE ROW LED BAR

QVWL24D5C - COMBO QVWL24D5F - FLOOD QVWL24D5S - SPOT



The all NEW D5 Series is QVEE's latest edition to their ever expanding range. The D5-Series is a cost effective 18.74" double row LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 10,800 lumen and 9-32v. For more details check out www.gvee.com.au

180W 16,200LM DOUBLE ROW LED BAR

QVWL36D5C - COMBO QVWL36D5F - FLOOD QVWL36D5S - SPOT



\$555

DVEF

The all NEW D5 Series is QVEE's latest edition to their ever expanding range. The D5-Series is a cost effective 27.01" double row LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 16,200 lumen and 9-32v. For more details check out www.qvee.com.au



270W 24,300LM DOUBLE ROW LED BAR

QVWL54D5C - COMBO QVWL54D5F - FLOOD QVWL54D5S - SPOT



The all NEW D5 Series is QVEE's latest edition to their ever expanding range. The D5-Series is a cost effective 34.41" double row LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 24,300 lumen and 9-32v. For more details check out www.gvee.com.au



330W 29,700LM **DOUBLE ROW LED BAR** QVWL66D5C - COMBO





The all NEW D5 Series is QVEE's latest edition to their ever expanding range. The D5-Series is a cost effective 47.68" double row LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 29,700 lumen and 9-32v. For more details check out www.gvee.com.au



### DVEE

- CAMERA SPECS:
- IP69k Rated
- 120° viewing angle
- Front speaker
- Night vision infrared LED's
- 15m night vision distance
- Day/night sensor
- Adjustable sun visor

#### MONITOR SPECS:

- 5.6" LCD screen
- 10-32v
- Speaker with adjustable volume
- Full-function remote

\$350<sub>e</sub>





IP69k RATED

60W LED, 11.87" worklight. 5,400 lumens, IP68, aluminium heatsink 5,400 lumens, IP68, aluminium neatsink housing & a 50,000 hour life span on the \$285ea LED's. 6 x 10W CREE LED's.



DVEE

180W 16,200LM LED BAR QVWL18X10C - COMBO QVWL18X10F - FLOOD



180W LED, 30.77" worklight. 16,200 lumens, IP69, aluminium heatsink housing & a 50,000 hour life span on the LED's. 18 x 10W CRFF I FD's.

120W 10,800LM LED BAR QVWL12X10C - COMBO

QVWL12X10F - FLOOD QVWL12X10S - SPOT

IP69k RATED



120W LED, 21.32" worklight, 10,800 lumens, IP69, aluminium heatsink housing & a 50,000 hour life span on the LED's. 12 x 10W CREE LED's.

DVEE 240W 21,600LM LED BAR QVWL24X10C - COMBO



240W LED, 40.22" worklight. 21,600 lumens, IP69, aluminium heatsink housing & a 50,000 hour life span on the LED's. 24 x 10W CREE LED's.



- Up to 4 AV inputs
- Image adjustable for Horizontal, Vertical, Mirror and normal viewing



### 7" HEAVY DUTY REVERSE CAMERA KIT 10-32V

## CAMERA SPECS:

- IP69k Rated
- 120° viewing angle
- 10-32v
- Front speaker
- Night vision infrared LED's
- 22m night vision distance • Day/night sensor

## DVEE

#### MONITOR SPECS:

- 7" LCD screen
- Upto 4 AV inputs
- 10-32v
- Image adjustable for Horizontal, Vertical, Mirror and normal viewing
- Speaker with adjustable volume
- Full-function remote

\$370<sub>e</sub>

DIJEE

20W 1,800LM LED BAR

QVWL2V10F - FLOOD QVWL2V10S - SPOT



The V10 series is one of QVEE's best sellers in their ever expanding range. The QVWL2V10 is a cost effective 5.57" LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 1,800 lumen and 9-48v. For more details check out www.gvee.com.au

\$60ea

DVEE

40W 3.600LM LED BAR QVWL4V10F - FLOOD OVWL4V10S - SPOT



OCTOBER 2015 SPECIALS

The V10 series is one of QVEE's best sellers in their ever expanding range. The QVWL4V10 is a cost effective 8.72" LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 3,600 lumen and 9-48v. For more details check out www.qvee.com.au

DIJEE



The QVEE single 10W LED Worklamp is an ideal size for discreet mounting for a reverse light or auxillary lighting. DVFF

**HEAVY DUTY** 10W LED WORKLIGHT QVWL10WF - Flood

- QVWL10WS Spot • 9-50V
- IP68 Rated • 900 Lumens - 10W
- CREE LED
- Polycarbonate lens
- 6000K • Deutsch connector
- Stainless steel brackets

LIGHT DUTY LED WORKLIGHTS

QVWL15WS - 15W Square Flood QVWL18WR - 18W Round Flood

Light duty LED worklights ideal for reverse lights on 4WD's or as auxillary lighting. Available in a 15W square version or a 18W round version.



**60W 5,400LM LED BAR** 

QVWL6V10F - FLOOD QVWL6V10S - SPOT



\$160<sub>ea</sub>

The V10 series is one of QVEE's best sellers in their ever expanding range. The QVWL6V10 is a cost effective 11.87" LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 5,400 lumen and 9-48v. For more details check out www.qvee.com.au

120W 10,800LM LED BAR

QVWL12V10C - COMBO OVWL12V10F - FLOOD QVWL12V10S - SPOT





The V10 series is one of QVEE's best sellers in their ever expanding range. The QVWL12V10 is a cost effective 21.32" LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 10,800 lumen and 9-48v. For more details check out www.gvee.com.au

**MEDIUM DUTY 27W** LED WORKLIGHT QVWL27WR - Flood

Medium duty round LED worklight, ideal for a reverse light on 4WD's or as auxillary lighting. Rated at 1,200 Lumens.

\$49<sub>ea</sub>

DIJEE



**MEDIUM DUTY 27W** LED WORKLIGHT QVWL27WS - Flood

Medium duty square LED worklight, ideal for a reverse light on 4WD's or as auxillary lighting. Rated at 1,200 Lumens.

\$49<sub>ea</sub>





180W 16,200LM LED BAR

QVWL18V10C - COMBO QVWL18V10F - FLOOD QVWL18V10S - SPOT



The V10 series is one of QVEE's best sellers in their ever expanding range. The QVWL18V10 is a cost effective 30.77" LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 16,200 lumen and 9-48v. For more details check out www.qvee.com.au

DVEE 240W 21,600LM LED BAR QVWL24V10C - COMBO



DVEE



The V10 series is one of QVEE's best sellers in their ever expanding range. The QVWL24V10 is a cost effective 40.22" LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 21600 lumen and 9-48v. For more details check out www.qvee.com.au

DVFF



Purpose built for Mining and Agricultural applications, the 9L28 is tough and a true performer!

**HEAVY DUTY 27W** LED WORKLIGHT QV9L28 - Flood

- 9-32V • IP68 Rated
- 2,970 Lumens 27W
- CREE LED's • Polycarbonate lens
- 6000K
- Deutsch connector
- Stainless steel brackets

Purpose built for Mining and Agricultural applications, the 40W lamp is a power house that delivers unrivaled performance.

### DVFF **HEAVY DUTY 40W**

LED WORKLIGHT

QVWL40WF - Flood QVWL40WS - Spot

- 9-32V
- IP68 Rated
- 3,600 Lumens 40W
- CREE LED's
- Polycarbonate lens
- 6000K
- Deutsch connector

• Stainless steel brackets

300W 27,000LM LED BAR QVWL30V10C - COMBO





The V10 series is one of QVEE's best sellers in their ever expanding range. The QVWL30V10C is a cost effective 49.67" LED light bar solution without compromising on quality. All units are IP68 rated. This unit is 27000 lumen and 9-48v. For more details check out www.qvee.com.au

MOUNTING LEGS TO SUIT ALL OVEE LED BARS **QVWLEGS** 

Side mounting legs to suit all QVEE LED light bars.

\$30<sub>per set</sub>



Purpose built for Mining and Agricultural applications, the 60W lamp is a power house that delivers unrivaled performance.

## DVEE

### **HEAVY DUTY 60W** LED WORKLIGHT

QVWL60WF - Flood QVWL60WS - Spot

- 9-32V
- IP68 Rated
- 5,400 Lumens 60W
- CREE LED's • Polycarbonate lens
- 6000K
- Deutsch connector Stainless steel brackets



Purpose built for Mining and Agricultural applications, the 120W lamp is a power house that delivers unrivaled performance.

### DVEE **HEAVY DUTY 120W** LED WORKLIGHT

QVWL120WF - Flood QVWL120WS - Spot

- 9-32V
- IP68 Rated
- 10.800 Lumens 120W
- CREE LED's Polycarbonate lens
- 6000K • Deutsch connector
- Stainless steel brackets



#### 5.6" REPLACEMENT LCD REVERSE **CAMERA MONITOR 10-32V**

QVMN15

#### MONITOR SPECS:

- 5.6" LCD screen
- Upto 4 AV inputs • 10-32v
- Image adjustable for Horizontal, Vertical, Mirror and normal viewing
- Speaker with adjustable volume
- Full-function remote

\$200<sub>ea</sub>

DVEE

#### 7" REPLACEMENT LCD **REVERSE CAMERA MONITOR 10-32V** QVMN27



#### **MONITOR SPECS:**

OCTOBER 2015 SPECIALS

- 7" LCD screen
- Upto 4 AV inputs
- 10-32v
- Image adjustable for Horizontal, Vertical, Mirror and normal viewing
- Speaker with adjustable volume
- Full-function remote

\$220<sub>ea</sub>

### HANDHELD UHF RADIO PMR1250

The PMR1250 is a feature packed 2-way radio with up to up to 7km range\*. Offering exceptional sound quality, VOX hands-free operation and the convenience of rechargeable battery power.



# oricom.



UHF RADIO UHF058PK - Limited stock



oricom.

This compact, high powered CB Two-Way Radio has 80 channels, manual squelch and volume controls and a heavy duty microphone plug. It's rugged construction and compact size makes this the ideal unit to mount in your 4wd, tractor or construction equipment, without breaking the bank. Comes with antenna and bracket.

#### **ULTRA COMPACT CCD COLOUR REVERSE CAMERA** QVCM38

JUFF



#### **CAMERA SPECS:**

- IP69k Rated
- 150° viewing angle
- 12v
- 10G Anti vibration
- Compact in size 23mm DIA

\$125<sub>a</sub>

#### **ULTRA COMPACT CCD COLOUR REVERSE CAMERA** QVCM76



#### **CAMERA SPECS:**

- IP69k Rated
- 150° viewing angle
- 12v
- 10G Anti vibration

\$125<sub>ea</sub>

#### **5 WATT UHF RADIO** UHF180F



\$135<sub>e</sub> LIMITED STOCK

# oricom.

This slimline UHF CB is one of the most robust radios available, with external heat sink this radio will maintain the highest output power over extended periods of use.

**Britax** 

### MICRO 5 WATT UHF RADIO KIT

The UHF300 5 watt UHF CB is micro sized and can be easily installed in tight spaces. This high powered unit features a user selectable 7 colour flip LCD backlit display allowing you to match the LCD display with your vehicles dash. This kit also comes with a ANU200 6.5dBi elevated feed antenna and a BR100 "Z" bracket.



\$165<sub>ea</sub> LIMITED STOCK

LICENSE PLATE CCD **COLOUR REVERSE CAMERA** QVCM70

# DVEF



#### **CAMERA SPECS:**

- IP69k Rated
- 150° viewing angle 12v
- 10G Anti vibration Night vision distance 5m

\$125<sub>e</sub>

DVEE

ULTRA COMPACT CCD OVCM80

## DVFF

#### **CAMERA SPECS:**

- IP69k Rated
- 150° viewing angle • 12v
- 10G Anti vibration
- Night vision distance 8m

**COLOUR REVERSE CAMERA** 

\$125<sub>e</sub>

#### AMBER ROTATING BEACON 390-00

The 390 series bolt on beacon has been tried and tested performing under extreme conditions. The 390 can be used for either 12V or 24V.



\$40<sub>ea</sub>

#### **EMERGENCY STOP SWITCH** TMS01





Emergency stop switch. Comes complete with normally closed contacts.

\$52<sub>ea</sub>

#### **CCD COLOUR REVERSE CAMERA** QVCM73



### **CAMERA SPECS:**

- IP69k Rated
- 120° viewing angle
- 10-32v
- Front speaker
- Night vision infrared LED's • 15m night vision distance
- Day/night sensor
- Adjustable sun visor

\$125<sub>e</sub>

#### **HEAVY DUTY CCD COLOUR REVERSE CAMERA** QVCM86

### **CAMERA SPECS:**

- IP69k Rated
- 120° viewing angle
- 10-32v Front speaker
- Night vision infrared LED's
- 22m night vision distance Day/night sensor

# DVEE



\$135<sub>e</sub>

#### 2400 PIECE CABLE TIE KIT CT2400

DASCO only supply & trust SapiSelco. Sapiselco are European manufactured cable ties. We consider this product to be the best in the world. Sapiselco cable ties are subject to strict international certification standards and have obtained attestations from the following industry control institutes: UL, ImQ, GL, BV, Rina, Lloyds, DNV, Military (USA), CE, RoHS.





\$120e

### **EMERGENCY STOP SWITCH**



Schneider

Emergency stop switch. Comes complete with both normally open & normally closed contacts.

\$60<sub>e</sub>

### EARANCE ITEMS



NARVA PROFESSIONAL CRIMP TERMINAL KIT WITH TOOL 56530

\$105ea EX GST - Limited stock



NARVA SUZI COIL 7 CORE 6 X 5MM & 1 X 3MM NO PLUGS 82546

\$75ea EX GST - Limited stock



NARVA CHANGE OVER **RELAY 12V 40/30A** 68048

\$5ea EX GST - Limited stock



NARVA LED WORKLIGHT 1200LM WL2407- Bulk pack not blistered

\$60ea EX GST - Limited stock



RUBBER WHEEL CHOCK

Suits ight vehicles Size H 80mm x L 150mm x W 105mm **WCRUBSM** 

\$9.95ea EX GST - Limited stock



**REDARC 40A SWITCH MODE REDUCER** SMF40

\$200ea EX GST - Limited stock

Your Auto Electrical Supplier of:



















































Your Auto Electrical Supplier

**P**h: 08 9258 7884 | Fax**:** 08 9458 1379 sales@dascosupplyqroup.com.au 14 Charles Street, Bentley. Western Australia 6102 www.dascosupplygroup.com.au



Dasco® is proudly Australian owned & operated. Supporting local business.